



For Queries and Help please access our Support Centre: www.gardenbuildingsdirect.co.uk/help


Winchester Log Cabin

Front elevation: width 5.0m

BILLYOH

Sizes available

available in standard 28mm and ultimate 44mm cladding types



Winchester Log Cabin
W5.0m x D5.0m
(Including Overhang)




Winchester Log Cabin
W5.0m x D4.0m
(Including Overhang)




Winchester Log Cabin
W5.0m x D3.0m
(Including Overhang)

W5.0m x D5.0m / W16'5" x D16'5"

Winchester:
Side elevation




Base Size and Bearers Layout
(Pressure Treated)




Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.

W5.0m x D4.0m / W16'5" x D13'1"

Winchester:
Side elevation



Base Size and Bearers Layout
(Pressure Treated)





Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.

W5.0m x D3.0m / W16'5" x D9'10"

Winchester:
Side elevation

Base Size and Bearers Layout (Pressure Treated)



Overhang Area

Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.